

SHURE MICROPHONES



1936 Complete Catalog MICROPHONES and ACCESSORIES

for

- Public Address
- Broadcasting
- Recording
- Amateur and Commercial Communications
- Intercommunication
- Hearing Aids
- Scientific and Industrial Applications

The SHURE GUARANTEE

Each instrument is guaranteed to be free from mechanical and electrical defects for a period of one year from date of shipment from the factory, provided all instructions are complied with fully.



Established 1925

SHURE MICROPHONES

are products of **specialists**. They are designed and produced at "Microphone Headquarters," where all effort is devoted **exclusively** to Microphones and closely-related accessories.


Out of this specialized activity have come such outstanding developments as the "Wave-Equalization" of microphone response . . . the "Spheroid" Non-Directional crystal microphone . . . the "Curvilinear" microphone diaphragm . . . a new improved piezo-electric "Stethophone" . . . and many others. As a result, Shure Microphones have achieved world wide recognition for their outstanding quality and moderate cost.

Continued forward-looking research and development of this high type is your assurance of advanced performance in **every** Shure Microphone.

SHURE BROTHERS • MICROPHONE HEADQUARTERS
215 WEST HURON STREET • CHICAGO, U.S.A.

CARBON TYPE

Model 3B Two-Button



Advanced engineering and controlled quantity production have made possible this full-size Two-Button Microphone with quality performance never before available at such extremely low cost! Designed for spring suspension. Rigid cast frames and built-in protective grill, finished in

bright nickel plate overall. Has the well-known Shure "Quickway" Hooks. May be used as a single-button microphone. Frame diameter, 3". Net weight, 1/2 lb. Shipping weight, 3/4 lb. **Model 3B.** Two-Button. Code: Ruciv. **\$550**

List Price.
Model 10B. Convertible Hand Microphone. Convenient general purpose P.A. microphone, convertible from hand to 3B type for stand mounting by removing mounting ring and inserting four "Quickway" Hooks. Black enameled handle. Overall length, 8 7/8". Net weight, 3/4 lb. Shipping weight, 1 lb. Complete with 6 feet of three-conductor cable and 4 "Quickway" Hooks. Code: Rucor. **\$10**



List Price.
Model 10BS. Convertible Hand Microphone. Same as Model 10B but includes a concealed switch which automatically cuts off the microphone when it is placed in a horizontal position. **\$1150**

Code: Rucos. List Price.

Model 3A Two-Button


A small low-cost two-button microphone. Suitable where voice reproduction is the main requirement. Screen-protected diaphragm. Nickel plated. Frame diameter, 2 1/4". Net weight, 5/2 ozs. Shipping weight 3/4 lb.

Model 3A. Two-Button Microphone. **\$650**

Code: Rucim. List Price.
Model 2A. Single-Button Microphone. Same size and appearance as Model 3A. **\$600**

Code: Rucil. List Price.

Model 5B Two-Button



A full-size two-button microphone (diameter overall 3 3/4", thickness 1 1/8", weight 15 1/2 ozs.). Regular full-size precision adjustable buttons and special diaphragm assure exceptional quality of reproduction. Ideal for low cost sound systems. Attractive modern design, finished in chromium plate. Screen-

protected diaphragm and "Quickway" Hooks. Shipping weight, 1 1/4 lbs. **Model 5B.** Code: Rucit. List Price. **\$1000**

Model 22B Two-Button


Embodies refinements formerly found only in more costly instruments. Genuine cathode-sputtered gold-spot diaphragm, carefully stretched and scientifically damped. Chromium plated. Net weight, 1 lb. Shipping weight, 1 1/2 lbs. **Model 22B.** Code: Rudip. List Price. **\$25**

Model 27N Two-Button

Professional type two-button microphone in every respect. Beautiful case, richly finished in chromium plate. Thickness 1 3/8". Diameter overall 3 3/4". Net weight, 1 1/2 lbs. Shipping weight, 1 3/4 lbs. **Model 27N.** Code: Rubal. **\$3750**

List Price.

Model 33N Two-Button



The most highly developed two-button microphone. Used in Broadcast Stations because of its excellent frequency response, ruggedness and dependability. Massive brass frames. Dural diaphragm with genuine cathode-sputtered gold spots, carefully stretched and aged. Chromium

plated. Thickness 1 1/4". Diameter overall 4 3/8". Net weight, 2 1/2 lb. Shipping weight, 3 lb. **Model 33N.** Code: Rulit. **\$50**

List Price.

Use our unique Microphone Repair Service
Write for Data Sheet

CRYSTAL (Piezo-Electric) TYPE

Model 70H



The Shure 70H sets the "standard of performance" for diaphragm-type crystal microphones. Adopted by leading Sound-Equipment Manufacturers. "Curvilinear" diaphragm and "Bimorph" crystal, "Cantilever" actuated. Beautiful cast case, chromium-plated overall. Mounts direct on any Shure Stand or in carbon ring. Cable may be brought through stand tubing or outside as desired. Convertible to a Hand Microphone with X40A Handle. Complete with removable "close-fitting" ring, 4 "Quickway" Hooks and shielded single-conductor rubber jacketed cable.

Model	Cable Length	Code	Shpg. Wt.	List
70H	7 feet	Rurab	1 1/2 lbs.	\$22.50
70H-25FT	25 feet	Rurov	2 lbs.	\$24.30
70H-35FT	35 feet	Ruriz	2 1/2 lbs.	\$25.30

Model 70HP. "Push-Pull" Crystal Microphone. Same as 70H except cable is two-conductor shielded. Recommended for amplifiers with push-pull input.

Model	Cable Length	Code	Shpg. Wt.	List
70HP	7 feet	Rulev	1 1/2 lbs.	\$22.50
70HP-25FT	25 feet	Rulex	2 1/4 lbs.	\$25.20
70HP-35FT	35 feet	Rulep	2 3/4 lbs.	\$26.70

Model A40A (formerly 71BH). Handle. Removable handle which fits 70H Crystal Microphone for hand use. Shipping weight, 1/4 lb. Code: Rurij. **\$150**

List Price.

70H-79AC Demountable

A complete unit consisting of the 70H Crystal Microphone with plug attachment, and Stand Receptacle. Instantly installed! Instantly removable for safekeeping or use elsewhere. Cable Strain Relief included. Net weight, 1 lb. Shipping weight, 1 1/2 lbs. No cable furnished. **Model 70H-79AC.** **\$25**

Code: Ruram. List Price.



Model 73A Lapel



Highly efficient and faithful in voice reproduction, due to new Shure diaphragm design and improved mechanical system. Free from "background" noise and vibration pick-up. Diameter only 2". Weight, less cord, under 2 ozs. Baked rubber-black finish. Equipped with special spring lapel clip and 25 feet of shielded single-conductor black mercerized cotton-covered cordage. Shipping weight, 3/4 lb. **Model 73A.** Code: Rulap. List Price. **\$25**

Code: Rulap. List Price.

Model 11B Two-Button

Hand Microphone



High quality two-button "close-talking" hand microphone. Especially suitable wherever the level of "crowd" or background noise is high. Modern chrome-finished case; rubber-black handle. Suspension eye at top. Case diameter 3 3/8". Length 9". Net weight, 1 1/4 lb. Shipping weight, 1 3/4 lbs. Complete with 6 ft. color-coded three-conductor cord. **Model 11B.** Code: Rudil. **\$15**

List Price.

Model 11BS. Same as 11B, but with push-button switch. Code: Ruhas. **\$1650**

List Price.

Model 11C. A "non close-talking" type two-button hand microphone. **\$1500**

Code: Rubom. List Price.

Model 11CS. Same as Model 11C, but with "press-to-talk" switch in handle. **\$1650**

Code: Rubot. List Price.

Model W10A (formerly 124). Carbon Granules. Recommended for experimental work only. Packed in capsule or vial. Code: Rugun. List Price. **\$1**

List Price.

Model 70S

"Communications-Type"

Specially designed for high-efficiency voice communication in Commercial and Amateur radiophone systems. Doubles side-band power on important intelligibility speech frequencies—clear, crisp, powerful signals—cuts through noise and static. No transmitter changes—connect as you would an ordinary crystal microphone. Finished in polished chromium plate and baked rubber black enamel. Complete with integral Desk Mount and 7 feet of shielded two-conductor, rubber-jacketed cable. Net weight, 2 lbs. Shipping weight, 2 1/2 lbs. **Model 70S.** Code: Rurak. List Price. **\$25**




Model 70SP. Same as 70S, but without Desk Mount. Includes 7 ft. Two-Conductor shielded cable and 4 "Quickway" hooks. Code: Rural. List Price. **\$22.50**

Model 70SH-25FT. Same as 70SP but with 25 feet of single-conductor shielded cable. Code: Rurap. List Price. **\$24.30**

Model 70D

Shure "70" Crystal Microphone Head, with the added utility of integral two-stage preamplifier. Invaluable for overhead use. Mounts on standard Shure Stands. Height 11 7/8". Complete with two type '76 tubes, suspension adapter, and 12 ft. of cable. Shipping weight, 6 3/4 lbs. **Model 70D.** Code: Rurad. List Price. **\$65**



Model 70C

Consists of Shure "70" Crystal Microphone Head with integral two-stage preamplifier in attractive, modernistic "camera type" case. Rubber-black finish. Height 7 3/8". Complete with two type '76 tubes, suspension adapter, and 12 ft. cable. Shipping weight, 3 1/2 lbs. **Model 70C.** Code: Rurac. List Price. **\$70**

Model 70HC. Crystal Microphone. 70H with Flange Type mounting as used on model 70C. Code: Rurit. List Price. **\$25**

Code: Rurit. List Price.

Model 70E (with Remote Preamplifier)

Shure "70" Crystal Microphone Head on S32C Modernistic Desk Stand, with 70A Remote two-stage Preamplifier. High quality reproduction. Beautiful appearance. Complete with tubes. Shipping weight, 9 lbs. **Model 70E.** Code: Rurag. List Price. **\$5650**

List Price.

Model 70A Crystal Preamplifier


Two-Stage preamplifier flat within 2 db from 60 to 8,000 cycles. Approximate gain 55 db. Furnished with two type '76 tubes. Neat, trim, black japanned steel case. Length 8". Width 3". Height 4 1/2". Shipping weight, 3 3/4 lbs. **Model 70A.** Code: Ruraf. List Price. **\$2750**



List Price.

Model 41L Power Supply

Operates from 115 volt, 50 to 60 cycle A.C. line and supplies all voltage requirements for all Shure Preamplifiers and preamplifier model Microphones except 40 Series. Free from hum. Length 8", width 3 3/4", height 6 3/4". Complete with '84 tube, plug for microphone cable, and A.C. cord and plug. Shipping weight, 5 1/2 lbs. **Model 41L.** Code: Ruwis. List Price. **\$20**



Model 41LZ. Same as 41L, but for 220v., 50-60 cycles. Code: Ruwip. List Price. **\$20**

List Price.

SHURE Cr
phones are
der patents
Developmen
Shure paten

Data Sheets are Available
on All Items

SHURE MICROPHONES

—Used in Thousands of Sound Installations Throughout the World

CRYSTAL (Piezo-Electric) TYPE

Volume Controls for Crystal Microphones



Now, for the first time, speakers, soloists, and announcers can control the volume of a crystal microphone . . . smoothly . . . noiselessly . . . with complete freedom from unwanted "tone-control" effects! A new capacity attenuator, developed by Shure engineers, has made this possible. The unit is small and compact (4" by 2" by 2") and mounts on any Shure Stand. Finish is standard rubber-black with chrome and black "Volume" escutcheon. Convenient ON-OFF switch, independent of volume control is provided. Cable may be run through stand tubing if desired.

Shure Volume Controls are supplied in two types: "Demountable," with receptacle for 74B and 70H-79AC Microphones, and "Coupling" type threaded $\frac{3}{8}$ "—27 for Model 70H. Both types are supplied with 25 or 50-foot lengths of single-conductor, rubber-jacketed shielded cable. For best results the cable should not be lengthened or shortened—use the full length supplied with the unit.

Model V21A. Crystal Microphone Volume Control. "Demountable" Type with 25-foot cable. Shipping weight, $2\frac{3}{4}$ lbs. Code: **Rugos** **\$1250**
List Price

Model V22A. Crystal Microphone Volume Control. "Demountable" Type with 50-foot cable. Shipping weight, $3\frac{1}{2}$ lbs. Code: **Rugat** **\$15**
List Price

Model V11A. Crystal Microphone Volume Control. "Coupling" Type with 25-foot cable. Code: **Rugap.** **\$1250**
List Price

Model V12A. Crystal Microphone Volume Control. "Coupling" Type with 50-foot cable. Code: **Rugar.** **\$15**
List Price

Model 70H-V11A. Crystal Microphone with Volume Control. Shure 70H mounted on Volume Control with 25-foot cable. Shipping weight, $3\frac{3}{4}$ lbs. Code: **Rugow.** **\$35**
List Price

Model 70H-V12A. Crystal Microphone with Volume Control. Shure 70H mounted on Volume Control with 50-foot cable. Shipping weight, $4\frac{1}{4}$ lbs. Code: **Rugoy.** **\$3750**
List Price

Model A80A Stand Switch



New handy stand-mounting on-off switch which can be used with any type microphone. Small attractive cast-aluminum case, with rubber-black enamel finish. Standard $\frac{3}{8}$ "—27 thread fits all Shure Stands. Overall height, $2\frac{1}{2}$ ". Shipping weight, $\frac{1}{4}$ lb.

Model A80A. Stand Switch. Code: **Rudam.** **\$250**
List Price

Shure Model 71AS Crystal Hand Microphone



"Close-Talking" type. Handsome chrome-finished case with rubber-black handle. "Push-to-talk" switch in handle. 7 ft. of special shielded, single conductor cable. Diameter of case $3\frac{3}{8}$ ". Overall length 9". Shipping weight, $1\frac{3}{4}$ lbs.

Model 71AS. Code: **Rurec.** **\$2650**
List Price

Model 71A. Crystal Hand Microphone. Same as Model 71AS but without switch. Code: **Rureb.** List Price **\$25**

Model 71BS. Crystal Hand Microphone. Non-"Close-talking" type. "Push-to-talk" switch in handle. 7 ft. of special cable. Code: **Rurih.** List Price **\$2550**

Model 71B. Crystal Hand Microphone. Same as 71BS but without switch. Code: **Rurig.** List Price **\$24**



Model 74B "Spheroid"

For the first time—a crystal microphone combining High Output Level, true "Wide-Range" Reproduction and Non-Directional Pickup! Sound reaches the small Curvilinear diaphragm through a complete angle of 360 degrees with a frequency response from 40 to 10,000 cycles. Response is non-directional for sound approaching from any angle. Special "Grafoil" Bimorph Crystal, "cantilever" actuated, lowers cable losses. Overall diameter $2\frac{1}{4}$ ". Rubber-black finish with chromium circles. Furnished with new locking, shielded, moisture-proof 3-conductor plug, convertible receptacle for stand or suspension use, and cable strain relief. (No cable furnished—see C10A and C20A listings.) Net weight, $7\frac{1}{2}$ oz. Shipping weight, 1 lb.

Model 74B. "Spheroid" Crystal Microphone. Code: **Rugor.** **\$3750**
List Price

Model 75A Spherical Crystal Microphone



A new economical Shure Non-Directional Crystal Microphone with wide-range response! Acoustic streamlining and scientific placement of the small curvilinear diaphragm insure non-directional response for sound approaching from any angle. Crystal element is a genuine "Bimorph" unit, "Cantilever" actuated. Only $2\frac{1}{4}$ " in diameter. Rich rubber-black finish. Mounts on any Shure Stand. Complete with "side cable outlet," and 25 feet of shielded

single-conductor, rubber jacketed cable. Shipping weight, $1\frac{1}{2}$ lbs.

Model 75A. Spherical Crystal Microphone Code: **Rugus.** List Price **\$32**


Model 60C Contact-Type Crystal Microphone (formerly 72B)



For sound and vibration pickup in studies of machine noise and vibration, reproduction of stringed musical instruments, interception of sound through walls in criminal investigation work, and many other applications. High efficiency obtained with minimum acoustic pickup. $1\frac{3}{4}$ " long, 1" wide, $\frac{3}{4}$ " high. Mounting lugs provided. Chromium plated. Complete with 7 feet of single-conductor, rubber-jacketed shielded cable. Net weight, including cord, 5 oz. Shipping weight, $10\frac{1}{2}$ oz.

Model 60C. Code: **Rutac.** **\$2250**
List Price

Model 65A "Stethophone"



A new improved, non-acoustic piezo-electric device for pickup of heart and chest sounds for reproduction or recording. High output level achieved through new design principle. $3\frac{1}{4}$ " long. Net weight (not including the cable), only $5\frac{1}{2}$ oz. Contrasting chromium and black finish. Has "press-to-listen" push-button switch. Furnished complete with removable strap (useful when making long observations) and 7 feet of shielded single-conductor cable. Shipping weight $\frac{3}{4}$ lb.


Model 65A. "Stethophone." Code: **Rutab.** List Price **\$3500**

HIGH-FIDELITY

"Wave-Equalized" Models CRYSTAL and CONDENSER Types

All Shure High-Fidelity Wave-Equalized Models listed below are flat within only 2 db (for the crystal type) and 4 db (for the condenser type) from 40 to 10,000 cycles.

Model 77D Crystal Model 43D Condenser




High-Fidelity instruments with the Shure "Wave-Equalized" principle. May be suspended overhead or mounted on stand. High output level and standard 200-ohm output impedance. High-gain integral two-stage preamplifier. Complete with one '6C6 and one '76 tube, 25 ft. of shielded power cable and suspension adapter.

Model 43D. Condenser Microphone. Code: **Rulet.** **\$150**
List Price

Model 77D. Crystal Microphone. Code: **Ruric.** **\$150**
List Price

Model 77E Crystal Model 43E Condenser



Shure "43" Condenser or "77" Crystal Head mounted on S32C Modernistic Desk Stand with a special high-gain two-stage "Wave-Equalized" preamplifier. Furnished with one '6C6 and one '76 tube, 7 ft. of low-capacity cable with plug, and 25 ft. of shielded power cable.

Model 43E. Condenser Microphone. Code: **Rujel.** List Price **\$165**

Model 77E. Crystal Microphone. Code: **Rurid.** List Price **\$165**

Model 77F Crystal Model 43F Condenser

Shure "43" Condenser or "77" Crystal Head mounted on S59A Floor Stand with high-gain two-stage "Wave-Equalized" preamplifier in base. Includes one '6C6 and one '76 tube, and 25 ft. of shielded power cable.

Model 43F. Condenser Microphone. Code: **Rujem.** List Price **\$190**

Model 77F. Crystal Microphone. Code: **Rurif.** List Price **\$190**

Model 77H Sound-Cell Crystal Microphone

High quality "wide range" crystal microphone. Consists of a genuine Brush Sound-Cell, specially mounted in a beautifully designed chromium plated case. Complete with "close-fitting" ring and 7 ft. of shielded low-capacity cable.

Model 77H. Code: **Rurib.** **\$80**
List Price

Model 78HB Wide Range Sound-Cell Type



A small, demountable Wide-Range crystal microphone. Excellent frequency response from 30 to 10,000 cycles. Contains a genuine Brush Sound-Cell—no diaphragm. Chromium plated overall. Only $1\frac{1}{4}$ " in diameter. Height 2". Complete with integral plug, stand receptacle and strain relief. Cable not included.

Model 78HB. Code: **Rulad.** List Price **\$65**

DATA SHEETS AVAILABLE ON ALL ITEMS

CHICAGO, U. S. A.

"MICROPHONE HEADQUARTERS"


SHURE STANDS and UNIT ACCESSORIES

Shure Stands, designed by microphone specialists familiar with every phase of microphone service, have become the accepted standard due to their convenience, distinctive modern design, rugged construction and moderate cost. A complete range of types and styles solves every microphone mounting problem.

All stands (except Model S30B) are now listed without rings, which must be ordered separately. Unless otherwise specified, standard finish is a beautiful rubber black with chromium plated trim. Special finishes are available to order at additional cost. Standard thread on all stands and fittings is $\frac{5}{8}$ "—27.

Floor Stands

All Shure Floor stands have the exclusive "Automatic Friction Lock." You simply raise, lower or turn the microphone . . . no thumb screws or wing nuts . . . no rattling or sudden dropping! The proper degree of friction is adjusted by rotating the chromium collar at the top of the barrel. Cables may be run through tubings, or outside with a P50A Side Cable outlet. Effective height adjustment 43" to 68". Finish is standard rubber-black with chromium plated trim. Standard $\frac{5}{8}$ "—27 thread. Rings are not included, and must be ordered separately.



Model S56A (formerly 53RC). Floor Stand. "Round" Base. Base Diameter, 10 $\frac{1}{4}$ ". Net weight, 11 lbs. Shipping weight, 12 $\frac{1}{2}$ lbs. Code: **Ruvos**. List Price. **\$1350**

Model S57B (formerly 53TC). Floor Stand. 3-leg "Tri-Ped" Base. Leg spread, 15 $\frac{1}{2}$ ". Net weight, 13 $\frac{3}{4}$ lbs. Shipping weight, 15 $\frac{3}{4}$ lbs. Code: **Rugart**. List Price. **\$1550**

Model S58A (formerly 53SC). Floor Stand. Large, heavy "Modernistic" round base. Base diameter, 12 $\frac{1}{2}$ ". Net weight, 14 $\frac{1}{4}$ lbs. Shipping weight, 16 lbs. Code: **Ruvim**. List Price. **\$1750**

Model S59A (formerly 53BC). Floor Stand. Modernistic extra-heavy base, with space in base for preamplifier or power supply. Effective height adjustment 48" to 73". Base diameter, 15". Net weight, 29 $\frac{1}{4}$ lbs. Shipping weight, 33 $\frac{1}{2}$ lbs. Code: **Rudal**. List Price. **\$3650**

Model S54B (formerly 63AC). Floor Stand. A light weight Utility stand with three extensible sections. Modernistic base, 10 $\frac{3}{8}$ " in diameter, finished in black "Wrinkle" enamel. Height adjustment 25 $\frac{1}{2}$ " to 62 $\frac{1}{2}$ ". Net weight, 8 $\frac{1}{2}$ lbs. Shipping weight, 8 $\frac{3}{4}$ lbs. Code: **Rucov**. List Price. **\$10**

Stand Adapters

Model A20A (formerly 515RCA). Adapter. For mounting microphones with $\frac{1}{2}$ " Pipe Thread on any Shure Stand ($\frac{5}{8}$ "—27 thread). White nickel plated. Shipping weight $\frac{1}{4}$ lb. Code: **Rudap** List. **\$1.00**

Model A21A (formerly 515CRY). Adapter. For mounting microphones with $\frac{1}{8}$ " Pipe Thread on any Shure Stand ($\frac{5}{8}$ "—27 thread). Chromium plated. Code: **Rujec**. List. **\$1.00**

Model AIQA. Flexible Coupling. Reduces pickup of shock and vibration. Installed between microphone and any Shure Stand. Code: **Ruvor**. List Price. **\$1.00**

Desk and Banquet Stands



Model S30B (formerly 60N). "Special" Desk Stand. A small desk unit for Carbon Microphones complete with 5" ring. Modern beveled design, beautifully finished in chromium plate overall. Cord entrance in base. Complete with 8 rustproof springs. Base diameter, 4 $\frac{1}{4}$ ". Height overall, 7". Net weight 1 lb. Shipping weight, $\frac{1}{4}$ lbs. Code: **Runep**. List Price. **\$350**

Model S31A. Desk Mount. A short, non-adjustable, desk-type mount of proper height for operating table. Cord entrance in base. Rubber black finish overall. Base diameter 4 $\frac{1}{4}$ ". Height, 6 $\frac{3}{4}$ ". Net weight, 1 lb. Shipping weight, 1 $\frac{1}{4}$ lbs. Code: **Rujab**. List Price. **\$3**

Model S41A (formerly 61AC). Banquet Stand. A lightweight "utility" stand, finished in polished nickel plate. Non-adjustable. Cord entrance in base. Base diameter, 4 $\frac{1}{4}$ ". Height 10". Net weight, 1 lb. Shipping weight, $\frac{1}{4}$ lbs. Code: **Rujak**. List Price. **\$350**

Model S32C (formerly 51DC). Modernistic Desk Stand. A new adjustable desk stand with the exclusive Shure "Automatic Friction Lock!" Beautiful modern design, with three chromium circles on base contrasting with the rich rubber-black finish. Base diameter, 6". Height, adjustable from 7" to 11". Net weight, 3 $\frac{1}{2}$ lbs. Shipping weight, 3 $\frac{3}{4}$ lbs. Code: **Rudes**. List Price. **\$650**

Model S42C (formerly 52DC). Modernistic Banquet Stand. A companion unit to Model S32C listed above, useful where greater height is needed. Height range, 15" to 22". Net weight, 3 $\frac{3}{4}$ lbs. Shipping weight, 4 $\frac{1}{4}$ lbs. Code: **Rukof**. List Price. **\$750**

Rings and Springs



Model R20B (formerly 50). Standard Ring. A sturdy full-size, 6" ring for carbon microphones. Attractive bevel-edge design. "Quickway" Hooks (Pat. Pend.) for quick mounting. Chromium plated. Complete with 8 rustproof springs. Shipping weight, 1 lb. Code: **Ruket**. List Price. **\$2.50**

Model R10A (formerly 60R). Ring. A light 5" ring for small carbon microphones. Chromium plated. Shipping weight, $\frac{3}{4}$ lb. Complete with 8 rust-proof springs. Code: **Rujes**. List Price **\$2.25**

Model R10B. Ring. Same as R10A but bright nickel plated. Code: **Rujam**. List Price. **\$2.00**

Model A30A (formerly 54M). Springs. Medium length for R20B Rings. Rust-proof. Code: **Rukis**. Set of eight. List Price. **\$1.00**

Model A31A (formerly 54S). Springs. Short length for R10 Rings. Rust-proof. Code: **Rukop**. Set of eight. List Price. **\$1.00**



Model A35A (formerly 50A). Suspension Adapter. Chromium plated. $\frac{5}{8}$ "—27 thread. Shipping weight, $\frac{1}{4}$ lb. Code: **Rudem**. List Price. **\$1.50**

Plugs and Receptacles



Model P10B. Plug. Three-conductor type. Threaded locking ring and water-proof strain-relief gasket cap. May be used to convert "non-demountable" microphones to demountable type. Chromium plated. Shipping weight, $\frac{1}{4}$ lb. Code: **Rulab**. List Price. **\$1.00**



Model P20B. Receptacle. Three-conductor type, complete with water-proof strain-relief gasket cap. Fits P10B Plug. Chromium plated. Shipping weight, $\frac{1}{4}$ lb. Code: **Rulam**. List Price. **\$1.00**

Model P41A. Receptacle. Three-Conductor type. Mounts in $\frac{1}{8}$ " hole on chassis or panel. Fits P10B Plug. Nickel plated. Shipping weight, $\frac{1}{4}$ lb. Code: **Rutop**. List Price. **.50c**

Model 79P. Plug. Two-Conductor Telephone Type. Fully shielded. Chromium plated. Shipping weight, $\frac{1}{4}$ lb. Code: **Rurik**. List Price. **\$2.25**

Model 79R. Receptacle. Fully-shielded cable-conductor type receptacle for 79P Plug. Chromium plated. Shipping weight, $\frac{1}{4}$ lb. Code: **Ruril**. List Price. **\$2.50**

Cable Fittings

Model P40C. Stand Receptacle. Locking three-conductor, fully shielded type. Mounts on any Shure Stand. Useful for converting "non-demountable" microphones to "demountable" type. A P51A Strain Relief (See description below) is included. Standard rubber-black finish. Shipping weight, $\frac{1}{4}$ lb. Code: **Rulir**. List Price. **\$1.25**



Model P51A. Strain Relief. Used with Stand Receptacle when cable is run inside tubing. Prevents terminal strain. Cadmium plated. Code: **Rupat**. List Price. **.25c**



Model P50A. Side Cable Outlet. Brings cable outside stand. Self strain-relief feature. Rubber-black finish. Code: **Rupak**. List Price. **.75c**



Model P52A. Cable Guide. Holds cable neatly beside stand. Attached to tubing near base. Rubber-black finish. For S54B (formerly 63AC) Floor Stand. Shipping weight $\frac{1}{4}$ lb. Code: **Rujov**. List Price. **\$1.00**

Model P53A. Cable Guide. For S56A (53RC), S57B (53TC), S58A (53SC) and S59A (53BC). Floor Stands. Code: **Rujor**. List Price. **\$1.00**



Cable

Good cable is essential for proper operation of crystal microphones.

Shure Crystal Cables are specially designed for low capacity and high insulation resistance, manufactured to rigid standards and carefully tested and inspected. Recent developments have made possible a cable with still lower capacity than was previously obtainable.

Available in bulk, any length, or in special convenient trimmed lengths at no extra charge.

Model C10B (formerly 81L). Crystal Microphone Cable. Single-conductor type, shielded with overall rubber jacket. Diameter, 7/32". Weight, 3 lbs. per 100 feet. Standard trimmed lengths are 7, 20, 25, 35 and 50 feet. Code: **Rurim**. List Price, per foot. **10c**

Model C20B (formerly 80L). Crystal Microphone Cable. Two-Conductor type, shielded, with overall rubber jacket. Diameter, $\frac{1}{8}$ ". Weight, 4 lbs. per 100 feet. Standard trimmed lengths are 7, 20, 25, 35 and 50 feet. Code: **Rubat**. List Price, per foot. **15c**

Model C11A (formerly 84L). Crystal Microphone Cable. Light, flexible, single-conductor type, shielded, with black cotton braid. Used on 73A Lapel Microphones. Diameter, $\frac{3}{16}$ ". Weight, 1 $\frac{1}{4}$ lbs. per 100 feet. Standard trimmed length is 25 feet. Code: **Ruriv**. List Price, per foot. **10c**

Model C50B. Power Cable. Five conductors and shield. Heater leads twisted. Overall cotton braid. Available in 25-foot lengths. Diameter, $\frac{3}{8}$ ". Weight, 6 lbs. per 100 feet. Code: **Rubam**. List Price, per foot. **30c**

DATA SHEETS AVAILABLE ON ALL ITEMS

SHURE BROTHERS • "Microphone Headquarters" • 215 W. Huron St., Chicago, U. S. A.